

## 1. Identification

**Product identifier**                      **Rear View Mirror Adhesive**

**Other means of identification**

**FIR No.**                                      196537

**Recommended use**                      Rear view mirror adhesive

**Recommended restrictions**           None known.

**Manufacturer/Importer/Supplier/Distributor information**

**Company Name**                      Ford Motor Company  
**Address**                                    Attention: MSDS Information, P.O. Box 1899  
     Dearborn, Michigan 48121  
     USA  
**Telephone**                                1-800-392-3673  
**SDS Information**                        1-800-448-2063 (USA and Canada)  
     fordsds.com

**Emergency telephone numbers**

Poison Control Center: USA and Canada: 1-800-959-3673  
 INFOTRAC (Transportation): USA and Canada 1-800-535-5053

## 2. Hazard(s) identification

**Physical hazards**

Not classified.

**Health hazards**

Acute toxicity, oral	Category 3
Acute toxicity, dermal	Category 2
Acute toxicity, inhalation	Category 2
Skin corrosion/irritation	Category 1A
Serious eye damage/eye irritation	Category 1
Sensitization, skin	Category 1
Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
Specific target organ toxicity, repeated exposure	Category 2

**Environmental hazards**

Hazardous to the aquatic environment, acute hazard	Category 1
Hazardous to the aquatic environment, long-term hazard	Category 3

**OSHA defined hazards**

Not classified.

**Label elements**



**Signal word**

Danger

**Hazard statement**

Toxic if swallowed. Fatal in contact with skin. Fatal if inhaled. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

## Precautionary statement

### Prevention

Do not breathe vapor. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Wear respiratory protection.

### Response

IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Take off immediately all contaminated clothing and wash it before reuse. Collect spillage.

### Storage

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight.

### Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

### Hazard(s) not otherwise classified (HNOC)

May be harmful if absorbed through skin.

### Supplemental information

None.

## 3. Composition/information on ingredients

### Mixtures

Chemical name	Common name and synonyms	CAS number	%
2-hydroxyethyl methacrylate		868-77-9	60 - 65
ACRYLIC ACID		79-10-7	25 - 30
1,2-Benzisothiazol-3(2H)-one 1,1-dioxide		81-07-2	2 - 5
Cumene hydroperoxide		80-15-9	2 - 5
SILICA, AMORPHOUS, FUMED, CRYSTALLINE FREE		112945-52-5	1 - 3

Specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. First-aid measures

### Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician or poison control center immediately.

### Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.

### Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

### Ingestion

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

### Most important symptoms/effects, acute and delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. Prolonged exposure may cause chronic effects.

### Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

### General information

Take off immediately all contaminated clothing. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. Discard any shoes or clothing items that cannot be decontaminated.

## 5. Fire-fighting measures

### Suitable extinguishing media

Alcohol resistant foam. Powder. Carbon dioxide (CO2).

### Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

<b>Specific hazards arising from the chemical</b>	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire fighting equipment/instructions</b>	Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.

## 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures** Avoid contact with eyes, skin, and clothing. Do not breathe vapors or spray mist. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak. Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. For personal protection, see section 8 of the SDS.

**Methods and materials for containment and cleaning up** Use water spray to reduce vapors or divert vapor cloud drift. The product is immiscible with water and will sediment in water systems. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

**Precautions for safe handling** Do not get in eyes, on skin, or on clothing. Do not breathe vapors or spray mist. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Observe good industrial hygiene practices. Wash hands thoroughly after handling. Wear appropriate personal protective equipment. For personal protection, see section 8 of the SDS. Wash contaminated clothing before reuse.

**Conditions for safe storage, including any incompatibilities** Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

#### US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value
SILICA, AMORPHOUS, FUMED, CRYSTALLINE FREE (CAS 112945-52-5)	TWA	0.8 mg/m <sup>3</sup>
		20 mppcf

#### US. ACGIH Threshold Limit Values

Components	Type	Value
ACRYLIC ACID (CAS 79-10-7)	TWA	2 ppm

#### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
ACRYLIC ACID (CAS 79-10-7)	TWA	6 mg/m <sup>3</sup>
		2 ppm

**US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Type	Value
SILICA, AMORPHOUS, FUMED, CRYSTALLINE FREE (CAS 112945-52-5)	TWA	6 mg/m <sup>3</sup>

**US. Workplace Environmental Exposure Level (WEEL) Guides**

Components	Type	Value
Cumene hydroperoxide (CAS 80-15-9)	TWA	6 mg/m <sup>3</sup> 1 ppm

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines****US - California OELs: Skin designation**

ACRYLIC ACID (CAS 79-10-7) Can be absorbed through the skin.

**US - Tennessee OELs: Skin designation**

ACRYLIC ACID (CAS 79-10-7) Can be absorbed through the skin.

**US ACGIH Threshold Limit Values: Skin designation**

ACRYLIC ACID (CAS 79-10-7) Can be absorbed through the skin.

**US NIOSH Pocket Guide to Chemical Hazards: Skin designation**

ACRYLIC ACID (CAS 79-10-7) Can be absorbed through the skin.

**US WEEL Guides: Skin designation**

Cumene hydroperoxide (CAS 80-15-9) Can be absorbed through the skin.

**Appropriate engineering controls** Use adequate ventilation to control airborne concentrations below the exposure limits/guidelines. If user operations generate a vapor, dust and/or mist, use process enclosure, appropriate local exhaust ventilation, or other engineering controls to control airborne levels below the recommended exposure limits/guidelines. Eye wash facilities and emergency shower must be available when handling this product.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin protection**

**Hand protection** Suitable chemical protective gloves should be worn when the potential exists for skin exposure. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Nitrile gloves are recommended.

**Other** Wear appropriate chemical resistant clothing if applicable.

**Respiratory protection** If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, an approved respirator must be worn. Respirator selection, use and maintenance should be in accordance with the requirements of OSHA Respiratory Protection Standard 29 CFR 1910.134 and/or Canadian Standard CSA Z94.4.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

**9. Physical and chemical properties****Appearance**

**Physical state** Liquid.

**Form** Liquid.

**Color** Amber.

**Odor** Irritating.

**Odor threshold** Not available.

**pH** Not available.

**Melting point/freezing point** Not available.

**Initial boiling point and boiling range** > 300.2 °F (> 149 °C)

**Flash point** > 203.0 °F (> 95.0 °C)

<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	> 0.1 kPa @ 20 degrees C
<b>Vapor density</b>	Not available.
<b>Relative density</b>	1.1
<b>Relative density temperature</b>	68 °F (20 °C)
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Negligible
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	> 705.2 °F (> 374 °C)
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Other information</b>	
<b>VOC</b>	0 % w/w

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
<b>Incompatible materials</b>	Amines.
<b>Hazardous decomposition products</b>	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	Fatal if inhaled. May cause damage to organs through prolonged or repeated exposure by inhalation.
<b>Skin contact</b>	Fatal in contact with skin. Harmful if absorbed through skin. Causes severe skin burns. May cause an allergic skin reaction.
<b>Eye contact</b>	Causes serious eye damage.
<b>Ingestion</b>	Toxic if swallowed. Causes digestive tract burns.

<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.
---	---

### Information on toxicological effects

<b>Acute toxicity</b>	Fatal if inhaled. Fatal in contact with skin. Toxic if swallowed. Causes severe skin burns and eye damage.
-----------------------	--

Components	Species	Calculated/Test Results
1,2-Benzisothiazol-3(2H)-one 1,1-dioxide (CAS 81-07-2)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Mouse	17 g/kg

Components	Species	Calculated/Test Results
2-hydroxyethyl methacrylate (CAS 868-77-9)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Mouse	3275 mg/kg 5.1 ml/kg
	Rat	5050 mg/kg 11.2 g/kg
<i>Other</i>		
LD50	Mouse	0.497 ml/kg
	Rabbit	> 3 g/kg
	Rat	1250 mg/kg
ACRYLIC ACID (CAS 79-10-7)		
<b>Acute</b>		
<i>Inhalation</i>		
LC50	Rat	1200 mg/l, 4 Hours
<i>Oral</i>		
LD50	Mouse	2400 mg/kg
	Rat	1250 mg/kg 193 mg/kg 33.5 mg/kg 2.5 g/kg
<i>Other</i>		
LD50	Mouse	1590 mg/kg 0.016 ml/kg
	Rabbit	290 mg/kg
	Rat	24 mg/kg
Cumene hydroperoxide (CAS 80-15-9)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rat	1.13 ml/kg 0.5 ml/kg
<i>Inhalation</i>		
LC50	Mouse	200 mg/l, 4 Hours
<i>Other</i>		
LD50	Mouse	400 mg/kg
SILICA, AMORPHOUS, FUMED, CRYSTALLINE FREE (CAS 112945-52-5)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Mouse	> 15000 mg/kg
	Rat	> 22500 mg/kg
<b>Skin corrosion/irritation</b>	Causes severe skin burns and eye damage.	
<b>Serious eye damage/eye irritation</b>	Causes serious eye damage.	
<b>Respiratory or skin sensitization</b>		
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.	
<b>Skin sensitization</b>	May cause an allergic skin reaction.	
<b>Germ cell mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
<b>Carcinogenicity</b>	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	

<b>Reproductive toxicity</b>	This product is not expected to cause reproductive or developmental effects.
<b>Specific target organ toxicity - single exposure</b>	May cause respiratory irritation.
<b>Specific target organ toxicity - repeated exposure</b>	May cause damage to organs through prolonged or repeated exposure. Skin. Eyes. Respiratory tract.
<b>Aspiration hazard</b>	Not an aspiration hazard.
<b>Chronic effects</b>	May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may be harmful.

## 12. Ecological information

**Ecotoxicity** Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

### Ecotoxicity

Components	Species	Calculated/Test Results
------------	---------	-------------------------

2-hydroxyethyl methacrylate (CAS 868-77-9)

#### Aquatic

Fish	LC50	Fathead minnow ( <i>Pimephales promelas</i> ) 213 - 242 mg/l, 96 hours
------	------	--

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential** No data available.

**Mobility in soil** No data available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code** The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from residues / unused products** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport information

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not established.

## 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### CERCLA Hazardous Substance List (40 CFR 302.4)

ACRYLIC ACID (CAS 79-10-7)	Listed.
Cumene hydroperoxide (CAS 80-15-9)	Listed.

**SARA 304 Emergency release notification**

Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories** Immediate Hazard - Yes  
 Delayed Hazard - Yes  
 Fire Hazard - No  
 Pressure Hazard - No  
 Reactivity Hazard - No

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous chemical** No**SARA 313 (TRI reporting)**

Chemical name	CAS number	% by wt.
1,2-Benzisothiazol-3(2H)-one 1,1-dioxide	81-07-2	5.000000000000
ACRYLIC ACID	79-10-7	30.000000000000
Cumene hydroperoxide	80-15-9	5.000000000000

**Other federal regulations****Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

ACRYLIC ACID (CAS 79-10-7)

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.**US state regulations** California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.**US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))**

ACRYLIC ACID (CAS 79-10-7)

**International Inventories**

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

**16. Other information, including date of preparation or last revision**

**Issue date** 03-02-2017  
**Version** 01  
**HMIS® ratings** Health: 3  
 Flammability: 1  
 Physical hazard: 0  
**NFPA ratings** Health: 3  
 Flammability: 1  
 Instability: 0

**Preparation Information and Disclaimer**

This document was prepared by FCSD-Toxicology, Ford Motor Company, Fairlane Business Park IV, 17225 Federal Drive, Allen Park, MI 48101, USA, based in part on information provided by the manufacturer. The information on this data sheet represents our current data and is accurate to the best of our knowledge as to the proper handling of this product under normal conditions and in accordance with the application specified on the packaging and/or technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user. To the extent that there are any differences between this product's Safety Data Sheet (SDS) and the consumer packaged product labels, the SDS should be followed.

**Part number(s)** TA-17-B